




Bearing equipment manufacturing Co., Ltd



110 mm x 200 mm x 53 mm NSK NUP2222EM
cylindrical roller bearings

Bearing No. NUP2222EM

NUP2222EM Bearing 2D drawings and 3D CAD models

Size	110x200x53 mm
Bore Diameter	110 mm
Outer Diameter	200 mm
Width	53 mm
d	110 mm
Fw	132,5 mm
D	200 mm
B	53 mm
C	53 mm
r min.	2,1 mm
r1 min.	2,1 mm
da min.	121 mm
Da max.	189 mm
db max.	129 mm
db min	121 mm
ra max.	2 mm
rb max.	2 mm
S	1,4 mm
Db max	189 mm
Weight	7,65 Kg
Basic dynamic load rating (C)	385 kN
Basic static load rating (C0)	515 kN
(Grease) Lubrication Speed	2800 r/min
Category	Bearings
Inventory	0.0



Bearing equipment manufacturing Co., Ltd

Manufacturer Name	NSK
Minimum Buy Quantity	N/A
Weight / Kilogram	12
Product Group	B04144
hidYobi	NUP2222EM
LangID	1
D_	200
Macha rpm	5000
B_	53
hidTable	ecat_NSCLDR
Oil rpm	3400
rb	2
mass	7.79
GRS rpm	2800
ra	2
db max	129
TSR rpm	4000
C0	515
DE_	180.5
Prod_Type3	CRB_SR_NUP
da	121
DA_	24
Z_	17
D_a max	189
yobi	NUP2222EM
dd min	144
C_conv	385000
ALPHA_	0
SDM_	156.5
r	2.1
dc min	135
KBRG	4165



Bearing equipment manufacturing Co., Ltd

SBRG	22
r1	2.1
DI_	132.5