




Bearing equipment manufacturing Co., Ltd

INA RASEY55 bearing units



RASEY55 Bearing 2D drawings and 3D CAD models

Bearing No. RASEY55

Bore Diameter	55 mm
d	55 mm
S1	33,4 mm
Thread (Q)	Rp1/8
A	60 mm
A1	35 mm
B	55,6 mm
H	63,5 mm
H1	22,5 mm
H2	124,5 mm
J	176 mm
L	222 mm
N	18 mm
N1	30 mm
Weight	3,22 Kg
Basic dynamic load rating (C)	43,5 kN
Category	Pillow Block Bearings
Inventory	0.0
Manufacturer Name	SCHAEFFLER GROUP
Minimum Buy Quantity	N/A
Weight / Kilogram	4.455
EAN	4012802802887
Product Group	M06110
Number of Mounting Holes	2
Mounting Method	Set Screw
Housing Style	2 Bolt Pillow Block



Bearing equipment manufacturing Co., Ltd

Rolling Element	Ball Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Relubricatable	Yes
Insert Part Number	GYE55KRRB
Seals	Double Land Riding Rubber Contact
Housing Configuration	1 Piece Solid
Inch - Metric	Metric
Other Features	Single Row Standard Shaft Height
Long Description	2 Bolt Pillow Block; 55MM Bore; 63.5MM Base to Center Height; Set Screw Mount; Ball Bearing; 164.5MM Minimum Bolt Spacing; 187MM Bolt Spacing Maximum; Relubricatable; Cast Iron; Double Land Riding Rub
Category	Pillow Block
UNSPSC	31171511
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Pillow Block
Manufacturer URL	http://www.ina.com
Manufacturer Item Number	RASEY55
Weight / LBS	8.82
Base to Center Height	2.5 Inch 63.5 Millimeter
Bolt Spacing Minimum	6.476 Inch 164.5Millimeter
Actual Bolt Center to Center	0 Inch 0Millimeter
Length Thru Bore	2.189 Inch 55.6 Millimeter
Bolt Spacing Maximum	7.362 Inch 187Millimeter
Bore	2.165 Inch 55 Millimeter



Bearing equipment manufacturing Co., Ltd

Nominal Bolt Center to Center	6.8 Inch 171.5 Millimeter
----------------------------------	-----------------------------